




MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SLIME Pro Tubeless Sealant		DATE: May 13, 2009	
PRODUCT NUMBER:			
TRADE NAME: SLIME Pro Tubeless Sealant GENERAL USE: Sealant PRODUCT DESCRIPTION: White, opaque white, or greenish liquid with slight ammonia odor.			
EUROPEAN DISTRIBUTOR Freightways c/o Access Marketing Europe		DATE PREPARED: May 13, 2009 SUPERSEDES: New Issue	
DISTRIBUTOR TELEPHONE NUMBER (General Inquiries) (71) 4090701		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBERS	
DISTRIBUTOR ADDRESS (NUMBER, STREET, P.O. BOX) Mandenmakerstraat 6 (CITY / STATE / POSTAL CODE) COUNTRY 2222 AX Katwijk Netherlands			1-800-255-3924 North America (Toll Free)
DISTRIBUTOR/ MANUFACTURER (NORTH AMERICA) Accessories Marketing, Inc.		NORTH AMERICA ADDRESS (NUMBER, STREET, P.O. BOX) 800 Farroll Rd	
NORTH AMERICA TELEPHONE NUMBER (General Inquiries) (805) 489-0490		NORTH AMERICA (CITY / STATE / POSTAL CODE) Grover Beach, CA 93433	COUNTRY USA

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW			
Mild paste, ingestion may cause gastric distress. Product has low toxicity.			
US HAZARD SYMBOL(S)		EUROPEAN (GHS) HAZARD SYMBOLS	
No Hazards Symbols Required			
HMIS HAZARD RATINGS			
0=INSIGNIFICANT, 1=SLIGHT 2=MODERATE, 3=HIGH 4=EXTREME	HEALTH:	1	
	FLAMMABILITY:	0	
	PHYSICAL HAZARD:	0	
REQUIRED PERSONAL PROTECTIVE EQUIPMENT:			
HMIS PERSONAL PROTECTIVE EQUIPMENT LETTER: A			Safety Glasses are recommended as good practice during use.
RISK PHRASES			
NONE			
SAFETY PHRASES			
S2 - Keep out of the reach of children.			
POTENTIAL HEALTH EFFECTS			
INHALATION:			
None expected, however, certain individuals may experience minor nausea or headaches.			
SKIN:			
None expected, however, prolonged contact may cause irritation.			
EYES:			
Contact with eyes may cause irritation.			
INGESTION:			
May cause gastric distress, vomiting and diarrhea.			
CARCINOGENICITY:			
NTP? NO	IARC MONOGRAPHS? NO	OSHA REGULATED? NO	
CALIFORNIA, Prop.65? NO		ESIS NOTATION? NO	

SECTION 3- HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC. NOTES: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1907/2006 (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directive 1907/2006 and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directive 67/548/EEC.					

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	SLIME Pro Tubeless Sealant	DATE:	May 13, 2009
PRODUCT NUMBER:			

SECTION 4 - FIRST AID MEASURES

INHALATION:

Remove victim to fresh air. Get medical attention for serious cases or if symptoms persist.

EYES:

Remove contact lenses if present, then flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.

SKIN:

Remove contaminated clothing and wash skin with soap and water. Get medical attention if irritation persists.

INGESTION:

If swallowed, DO NOT induce vomiting. Give 1-2 glasses of water. Get medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

FLASH POINT : NA. Not Flammable. Explosive Limits : NA (None). Autoignition temperature: None.

EXTINGUISHING MEDIA:

Choose extinguishing media to fight surrounding fire.

FIRE FIGHTING PROCEDURES:

Keep containers cool using water spray to avoid bursting. Wear Self-Contained Breathing Apparatus and full gear.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Contents under pressure. Do not puncture or incinerate containers. Exposure to temperatures above 120° F (48.9° C) may cause container to rupture; flooring may become slippery from released material.

HAZARDOUS COMBUSTION PRODUCTS:

CO, CO2., smoke.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Small spills - wash to sanitary sewer with plenty of water.. Large spills - soak up with approved absorbent (clay or diatomaceous earth is a good choice) and shovel absorbed product into approved container for disposal. Wash area with plenty of water.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Read label cautions carefully. Follow the label directions to avoid injury. Do not use near heat, sparks and open flames. Safety glasses are recommended during use. Avoid contact with food. Keep out of the reach of children.
STORAGE PRECAUTIONS: Store in a cool well ventilated area. Do not store at temperatures above 120°F (48.9° C), below 20°F (-6.7° C) or in direct sunlight. Protect containers from punctures or crushing. Keep out of the reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH		OSHA	
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
<p>No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC.</p>								

PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not required during normal use; wear self-contained breathing apparatus for firefighting.

PROTECTIVE GLOVES:

None required in normal use.

EYE PROTECTION:

Safety Glasses or Goggles should be worn to prevent injuries from shrapnel or contact with product.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

For severe decontamination, use safety shower and eyewash fountain. Wash basin is suggested for cleansing hands after use.

WORK / HYGIENIC PRACTICES:

Wash hands after use. Remove all contaminated clothing and laundry before re-use. Wash skin with soap and water.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: SLIME Pro Tubeless Sealant		DATE: May 13, 2009	
PRODUCT NUMBER:			
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE AND ODOR White, opaque white, or greenish liquid with slight ammonia odor.	VAPOR PRESSURE 17 mm Hg @ 68 °F (20 °C)		
pH 8.5-9.5	SPECIFIC GRAVITY (WATER = 1) 1.1± 0.1		
BOILING POINT >212° F (>100° C)	SOLUBILITY IN WATER Emulsifies		
MELTING POINT Not Determined.	VISCOSITY Unknown - more viscous than water		
FLAMMABLE LIMITS LEL: None UEL: None	VAPOR DENSITY (AIR = 1) >1		
AUTOIGNITION TEMPERATURE Non-Flammable.	EVAPORATION RATE (WATER = 1) <1		
VOLATILE ORGANIC COMPOUND (VOC) INFORMATION 27.7% by weight.			
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY	STABLE X	CONDITIONS TO AVOID: Extreme temperatures, keep from freezing	
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.			
HAZARDOUS POLYMERIZATION: Will not Occur.	CONDITIONS TO AVOID: None related to hazardous polymerization.		
SECTION 11 - TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC.			
SECTION 12 - ECOLOGICAL INFORMATION			
No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Do not allow undiluted and/or large quantities of product to enter sewage systems or reach ground water or bodies of water. Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non-hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.			

